Patient Information Leaflet

PYLOOCAIN OINTMENT
(Anti – Haemorrhoidal Ointment)

What is in this leaflet:
This leaflet answers some of the common questions people ask about Pyloocain Ointment. It does not contain all the information that is known about Pyloocain Ointment. It does not take the place of talking to your doctor or pharmacist. All medicines have risks and benefits. Your doctor will have weighed the risks of you using Pyloocain Ointment against the benefits they expect it will have for you. If you have any concerns about using this medicine, ask your doctor or pharmacist. Keep this leaflet with the medicine. You may need to read it again.

What Pyloocain Ointment Cream is used for:
Classification: Anti – Haemorrhoidal
Pyloocain Ointment (Anti-Haemorrhoidal Ointment) is effective medicine for providing fast and effective relief from pain and bleeding associated with:-

- Anal fissures
- Haemorrhoids
- After Haemorroidectomy
- Mild Proctitis.

How Pyloocain Ointment Works:
Pyloocain Ointment is a topical anesthetic, vasoconstrictor, and skin protectant. It works by blocking pain signals from the nerve endings in the skin and shrinking swollen tissue.

Before using Pyloocain Ointment medicine
Some medical conditions may interact with Pyloocain Ointment. Tell your doctor or pharmacist if you have any medical conditions, especially if any of the following apply to you:

- if you are pregnant, planning to become pregnant, or are breast-feeding
- if you are taking any prescription or nonprescription medicine, herbal preparation, or dietary supplement
- if you have allergies to medicines, foods, or other substances
- if you have heart problems, high blood pressure, thyroid problems, diabetes, or trouble urinating due to an enlarged prostate
- if you are taking medicines for high blood pressure or depression

Warnings and precautions
Keep all medicines out of the reach of children.
For external use only.

Constipation should be avoided as it may aggravate the symptoms.

Other medicines and Pyloocain Ointment:
Pyloocain Ointment does not normally react with other medicines. However, tell your doctor or pharmacist if you are taking or have recently taken any other medicines. This includes medicines that you buy without a prescription or herbal medicines.
Pregnancy and breast-feeding:
Patients are instructed to consult with their physician if they experience severe or troublesome adverse reactions, they become pregnant or intend to become to pregnant, they intend to breast feed while taking Pyloocain Ointment (Anti-Haemorrhoidal Ointment).
Driving and using machines:
No effect on the above. No sedation / drowsiness have been reported.

How to use Pyloocain Ointment
Apply two or three a day, use the applicator for deep anal administration Pyloocain Ointment can be applied before and after defecation. Or as directed by the physician.
Use Pyloocain Ointment as directed by your doctor. Check the label on the medicine for exact dosing instructions.

- Pyloocain Ointment is for use around the external rectal area or in the lower anal canal only.
- Wash your hands before and after using Pyloocain Ointment.
- If possible, gently cleanse the affected area by patting or blotting with an appropriate cleansing wipe. Dry by patting or blotting with a tissue or soft cloth before you apply Pyloocain Ointment.
- To apply externally, apply a small about of medicine to the affected area and gently rub in until evenly distributed.
- To apply Pyloocain Ointment in the lower anal canal, remove the cover from the dispensing cap. Attach the cap to the tube and lubricate it well with the medicine. Gently insert the dispensing cap partway into the anus. Apply the medicine as directed.
- Clean the dispensing cap after each use. Replace the cover.
- Do NOT insert Pyloocain Ointment into the rectum using your fingers or any type of applicator.
- If you miss a dose of Pyloocain Ointment and you are using it regularly, apply it as soon as possible. If it is almost time for your next dose, skip the missed dose and go back to your regular dosing schedule. Do not use 2 doses at once.

Ask your health care provider any questions you may have about how to use Pyloocain Ointment.

Possible side-effects
Mild burning, stinging, itching or redness.

Storing of Pyloocain Ointment medicine
Store at a temperature below 30°C.

Further information
Product Description:
White soft ointment, free from foreign particles.
Each gram contains:

Betamethasone valerate BP	0.5 mg
Phenylephrine hydrochloride BP	1 mg
Lidocaine hydrochloride BP	25 mg

Excipients: White soft paraffin BP
Mfg. No. KD-180

Manufacturer
Galentic Pharma (India) Pvt. Ltd.
4th Floor, Samruddhi Venture Park,
MIDC Central Road, Andheri (East),
Mumbai – 400 093. India

The leaflet was prepared in April 2016.